

LEBANON BOARD OF EDUCATION, LEBANON, CONNECTICUT

REQUEST FOR PROPOSALS FOR LYMAN MEMORIAL HIGH SCHOOL

LIBRARY MEDIA CENTER AND FACULTY LOUNGE

4/7/2017

The Lebanon Board of Education invites sealed proposals for replacement of carpeting in the Lyman Memorial High School Library Media Center and Faculty Lounge until 4/21/2017, at 12:00 pm. At that time proposals will be opened in public in the Superintendent's Office (891 Exeter Road, Lebanon, CT 06249) and read aloud. There will be a mandatory walk through at Lyman Memorial High School (917 Exeter Rd., Lebanon, CT) for all interested contractors to measure and view the Library Media Center and Faculty Lounge on April 13, 2017 at 1:00 p.m. to assist in bid proposal development. School officials will be available at that time to answer any questions.

The documents comprising the Request for Proposals may be obtained on the Lebanon Board of Education website, www.lebanonct.org, under RFP.

The Lebanon Board of Education reserves the rights to amend or terminate this Request for Proposals, accept all or any part of a proposal, reject all proposals, waive any informalities or non-material deficiencies in a proposal, and award the contract to the lowest proposal that meets the criteria set forth in the RFP and is in the best interests of the Lebanon Board of Education.

The Lebanon Board of Education is committed to a policy of equal opportunity/affirmative action for all qualified persons and equal access to Boy Scouts of America and other designated youth groups. The Lebanon Board of Education does not discriminate in any employment practice, education program, or educational activity on the basis of race, color, religious creed, sex, age, national origin, ancestry, marital status, sexual orientation, gender identity or expression, genetic information, or any other basis prohibited by Connecticut state and/or federal nondiscrimination laws.

Specifications for Carpeting Lyman Memorial High School Library Media Center and Faculty Lounge

Walk Through on April 13, 2017 at 1:00 p.m.

Lyman Memorial High School Library Media Center and Faculty Lounge

Replacement of all carpeting in the Lyman Memorial High School Library Media Center and Faculty Lounge with carpet squares. New carpeting will meet current specifications including fire codes and any other applicable safety code. The contractor will also replace the vinyl base on walls and columns. Same style and materials will be used in each area.

Contractor will be responsible for removal and disposal of the old carpeting.

Proposal should include all materials that will be used, include labor costs and installation cost.

Contractor will also leave 5% of the total number of squares for future replacement.

Contractor that is selected to do the work is responsible to check if any permits need to be pulled and must carry appropriate insurance according to CIRMA guidelines.

Interested contractors will conduct a mandatory site-visit of the area: to measure, and to determine number of carpet squares necessary for the given space.

Safety: The contractor will comply with all OSHA Safety regulations during the performance of this order.

Lyman Memorial Library Media Center and Faculty Lounge Carpeting Bid Sheet

Name of Company: _____

Address: _____

Phone Number: _____

Proposed bid amount: \$_____

Please list all materials that will be used

Specification Summary for New Carpet Squares

| | |
|--------------------------|------------------------------------|
| Fiber: | Eco solution nylon |
| Dye Method: | 66% solution dyed / 34% space dyed |
| Pattern Repeat: | None |
| Tufted weight: | 26.0 |
| Gauge: | 1/10 |
| Stitches per inch: | 10.0 |
| Finished pile thickness: | 0.117 |
| Total thickness: | 0.282 |
| Average density: | 8000 |
| Product size: | 24" x 24" |
| Primary backing: | Synthetic |
| Secondary backing: | ecoworx tile |
| Protective treatments: | ssp protective treatments |
| GSA approved product | |

Testing

| | |
|---------------------------|------------------|
| Radiant panel: | Class I |
| NBS smoke: | less than 450 |
| Electrostatic propensity: | less than 3.5 kv |

Warrantied